

LIBRARY COPY

THE OHIO STATE UNIVERSITY



RESEARCH FOUNDATION

1314 KINNEAR ROAD COLUMBUS, OHIO 43212

Report COO-1473-3

GLACIOLOGICAL INVESTIGATIONS ON THE CASEMENT GLACIER, ALASKA

Donald N. Peterson
Institute of Polar Studies

U. S. Atomic Energy Commission
Chicago Operations Office
Argonne, Illinois

Contract No. AT(11-1)-1473

INSTITUTE OF POLAR STUDIES
THE OHIO STATE UNIVERSITY
125 SOUTH OVAL DRIVE
COLUMBUS, OHIO 43210

RF Project..... 2017

Report No. COO-1473-3

..... TECHNICAL PROGRESS

REPORT

By

THE OHIO STATE UNIVERSITY
RESEARCH FOUNDATION

1314 KINNEAR RD.
COLUMBUS, OHIO 43212

To..... U. S. ATOMIC ENERGY COMMISSION
Chicago Operations Office
Argonne, Illinois

..... Contract No. AT(11-1)-1473

On..... GLACIOLOGICAL INVESTIGATIONS ON THE
CASEMENT GLACIER, ALASKA

For the period..... May 1, 1967 - January 31, 1968

Submitted by..... Donald N. Peterson
..... Institute of Polar Studies

Date..... January 31, 1968

TABLE OF CONTENTS

	<u>Page</u>
INTRODUCTION	1
MASS BALANCE STUDIES	1
ICE TUNNEL STUDIES	4
VELOCITY PROFILES	19
METEOROLOGICAL RESULTS	20
SUMMARY OF SYNOPTIC DATA	22
HEAT BALANCE STUDY	22
LANDSLIDE STUDY	26
ICE-DAMMED SELF-DRAINING LAKE	26
ICE WORMS	32
REFERENCES CITED	35

LIST OF FIGURES

<u>Figure No.</u>		<u>Page</u>
1	Map of Muir Inlet area showing the retreat of the ice front of the Muir, Casement, and associated glaciers since 1880.	2
2	Map of Casement Glacier showing the location of the camps, survey stations, rows of movement-ablation stakes, the met stations and the ice tunnels.	3
3	Transverse snow-depth profiles made at the site of the 1967 snow pits, Casement Glacier, Alaska. See Figure 4 for longitudinal profiles.	5
4	Longitudinal snow-depth profiles from site of snow pit to firn line, 1967 season, Casement Glacier, Alaska.	6
5	Transverse snow-depth profiles along lines A, B and C, Casement Glacier, Alaska, 1966.	7
6	Entrance to 1966 and 1967 tunnel in upper Casement Glacier showing ice-bedrock contact.	8
7	Plan and cross-section 1966 tunnel and associated glacier cave, Casement Glacier, Alaska.	9
8	View of ice-cave roof showing part of large groove that is produced in the ice at the bottom of the Casement Glacier as the ice flows over a bedrock knob. The flow is towards the viewer. The material in the left foreground is till-covered bedrock. Width of view is about 4 m.	11
9	Photo of dial gauge micrometer II mounted on rock bolt placed in bedrock knob. The numbers on the dial are .01 in. and the marked intervals are .001 in. The dowel is drilled .5 m into the ice parallel to the flow vector which is right to left. Note the polished surface on the bedrock knob and the plucked, more steeply dipping portion into which the rock bolt is drilled. The cubes on the bedrock surface are 5.0 and 2.5 cm on a side	11

LIST OF FIGURES - continued

<u>Figure No.</u>		<u>Page</u>
10	Photo of Gauge I. The piston from the gauge is placed in a hole drilled into a wooden dowel which is perpendicular to flow of the glacier. The 2" x 2" wooden beam is fastened to bedrock with rock bolts and so the support stand can be moved along the beam so that the piston can be kept in contact with the dowel as the glacier moves.	11
11	Plot of movement observed at Gauges I and II in $1\frac{1}{2}$ hour study. Note that the points fall in a straight line indicating that the slip was continuous with no short-period fluctuations.	12
12	Plot of movement observed in 24 hour study. Note that the break in slope which indicates a decrease in basal slip rate occurs at approximately the same time that precipitation halted.	14
13	Plot of movement observed in 48 hour study. The changes in slope are thought to be a result of changes in slip rate produced by intermittent precipitation.	15
14	Photo of limestone cube 5 cm on side fastened to bedrock knob with rock bolts and epoxy. Flow of the glacier is toward the viewer, parallel to the diagonal of the cube.	16
15	Photo of cube smashed by englacial debris. Note polished, striated bedrock surface in left foreground.	16
16	Diagram of the ice flowing around a 2.5 cm cube. Note the plastic closure and the regelation layer on the lee side of the cube.	17
17	Photo of cavity formed on the lee side of the cube as the ice flowed around it. Debris in foreground has been melted from the englacial load which is the broad lighter band across the photo from the upper left to the lower right.	18
18	Close-up photo of fragment of ice which has flowed around the 2.5 cm cube. Note the remainder of the regelation layer (the rest had melted).	18

LIST OF FIGURES - continued

<u>Figure No.</u>		<u>Page</u>
19	Feature in glacier-cave wall about 20 m inside the Casement Glacier, showing "turbulent flow" of the basal ice layer as it is squeezed around a bedrock knob (1 m high x 3 m wide). Flow is from right to left. The shiny appearance of the wall is a result of the camera flash reflective off a thin layer of clear regelation ice.	18
20	Diagram of proposed study of mass balance of a segment of the Casement Glacier in which the net ice gain or loss could be measured by determining the inflow, the outflow, and the surface ablation.	19
21	Temperature, sky cover, sunshine duration and daily ablation at Station 1, Casement Glacier, 1967.	27
22	View of landslide on Casement Glacier, Alaska. (Photo by Austin Post, US Geological Survey)	28
23	View of landslide on Sherman Glacier, near Condova, Alaska. Note that the landslide is now resting on a thick pedestal of ice. (Photo by Austin Post, US Geological Survey)	29
24	Aerial view of self-draining lake along the side of the Casement Glacier at full stage. Photo taken 12 June 1966. On 18 June 1967 lake was in similar state.	31
25	View of ice cliff damming the valley which produces the lake. Note that the water is no longer above the edge of the cliff and that there is a "shore line" of washed ice which is highest in the middle. Note also the presence of a marked slumping ice cliff in background in step-like fashion, but as yet there were no ice bergs floating in the lake.	31

